



JumpStart 5[™]

MSDS Number: LIM039

Revision Date: 1/1/14 Page 1 of 4

PRODUCT AND COMPANY IDENTIFICATION

SDS

Manufacturer

PROFILE Products, LLC 750 LAKE COOK ROAD SUITE 440 BUFFALO GROVE, IL 60089

Phone:	(847) 215-1144
Fax:	(847) 215-0577
Email:	profileproducts.com
Web:	www.profileproducts.com

Product Name:	JumpStart 5™
Revision Date:	1/1/14
MSDS Number:	LIM039
Common Name:	N.A.
Product Use:	Erosion control mulch additive for hydraulic seeding

Description: Proprietary blend of natural clay sources, hydro-colloidal polymers, seaweed extract, humic acid and endomycorrhizae.

2	HAZARDS IDENTIFICATION	
Inhalation:	Lungs	
Skin Contact:	No	
Ingestion:	No	

Crystalline Silica (Quartz) [EPA Hazard Category: Health]

Carcinogen: OSHA - No NTP - Yes (respirable) IARC - Yes This product contains up to 5% crystalline silica. The International Agency for Research on Cancer (IARC) has stated that there is sufficient evidence of carcinogenicity of crystalline silica to human beings. It was noted that carcinogenicity was not detected in all industrial circumstances studied. The NTP's Sixth Annual Report on Carcinogens include respirable crystalline silica. The Hazard Communication Standard (29CFR 1910.1200) requires that any material containing over 0.1% of a substance reported as a carcinogen in an IARC monograph or the most recent NTP Annual Report on Carcinogens must be identified as a carcinogen. These identifications are for hazard communications only and do not serve as assessments of carcinogenic risk. Crystalline silica is known to cause silicosis. At dust levels below the recommended PEL exposure to the crystalline silica contained in this product should not present a health hazard.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas # Perc. Chemical Name



GHS Safety Data Sheet PROFILE Products, LLC

Revision Date: 1/1/14

JumpStart 5[™]

MSDS Number: LIM039

SDS

N /A	Ι	Proprietary	Hydrocolloidal Based Polysaccharide Tackifier	Page	2	of	4
14808607	I	1.5-5%	Silica, crystalline quartz				

4	FIRST AID MEASURES
Inhalation:	Usually not a problem. Remove to fresh air if respiratory irritation develops, and get medical aid promptly if irritation persists.
Skin Contact: Eye Contact: Ingestion:	Wash throughly with soap and water. Flush thoroughly with water. Do not wear contact lenses. See a physician if discomfort persists. If swallowed, do not induce vomiting. Get immediate qualified medical attention.

|--|

Non-flammable and non-hazardous

ACCIDENTAL RELEASE MEASURES

Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers.

7	HANDLING AND STORAGE
Handling Precautions:	Steps to be taken in case material is released or spilled: If uncontaminated, sweep up or collect, and reuse as product. If contaminated with other materials, collect in suitable containers. Minimize blowdown or other practices that generate high airborne dust concentrations.
Storage Requirements	

8	EXPOSURE CONTROLS/PERSONAL PROTECTION		
Engineering Controls:	None required for outdoor mixing and application. Use dust collection system for indoor handling operations.		
Personal Protective Ec	quip:Respiratory Protection: If dust concentrations exceed recommended Permissible Exposure Limits, use NIOSH- approved dust respirators, with approval TC-21C-xxx, until feasible engineering controls are completed. Ventilation: Local exhaust or other ventilation that will reduce dust concentrations to less than Permissible Exposure Limits is recommended. Eye Protection: If high dust concentrations exist, tight-fitting goggles are recommended to reduce dust exposure to the eyes. Other Protective Equipment: Optional.		





JumpStart 5[™]

SDS

MSDS Number: LIM039

Revision Date: 1/1/14

Page 3 of 4

9	PHYSICAL AND CHEMICAL F	PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Grayish white powdery mixture			
Physical State:	Powder	Odor:	Earthy	
Vapor Pressure:	N.A.	Solubility:	Highly soluble	

Freezing/Melting Pt.:

N.Ă.

10	STABILITY AND REACTIVITY		
Stability:	Product is stable under all normal conditions.		
Conditions to Avoid:	Contact with strong acids and oxidizers may generate heat.		
Materials to Avoid:	Strong acids and oxidizers		
Hazardous Polymerizat	ion: Will not occur.		

TOXICOLOGICAL INFORMATION

Inhalation- N.E. Intravenous- Rat - LD50:15mg/kg Oral - Rat - LD50:3160 mg/kg

ECOLOGICAL INFORMATION

48-hr $LC_{50} = >100\%$ for Daphnia magna when runoff generated using ASTM D7101 (2"/hr rainfall rate) was tested according to EPA-821-R-02-012.

13 DISPOSAL CONSIDERATIONS

Can be disposed of in an approved disposal facility, in accordance with applicable federal, state, and local regulations. The nature and extent of contamination, if any, may require use of specialized disposal methods.

DOT Class: Not regulated #





JumpStart 5[™]

MSDS Number: LIM039

Revision Date: 1/1/14

Page 4 of 4

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Silica, crystalline quartz (14808607 1.5-5%) MASS, NRC, OSHAWAC, PA, TXAIR

SDS

REGULATORY KEY DESCRIPTIONS MASS = MA Massachusetts Hazardous Substances List NRC = Nationally Recognized Carcinogens OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

CERCLA = Superfund clean up substance CSWHS = Clean Water Act Hazardous substances EHS302 = Extremely Hazardous Substance EPCRAWPC = EPCRA Water Priority Chemicals HAP = Hazardous Air Pollutants NJEHS = NJ Extraordinarily Hazardous Substances NJHS = NJ Right-to-Know Hazardous Substances OSHAHTS = OSHA Hazardous and Toxic Substances OSHAPSM = OSHA Chemicals Requiring process safety management PROP65 = CA Prop 65 SARA313 = SARA 313 Title III Toxic Chemicals TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List) TXHWL = TX Hazardous Waste List

TSCA = Toxic Substances Control Act

16 OTHER INFORMATION